Circulation Research

VOLUME 62 JANUARY-JUNE 1988

VOLUME AUTHOR INDEX

A

Acad B-A, 1041
Ackell PH, 216
Adamova IY, 421
Alderman EL, 941
Alheid U, 185
Allen DG, 1223
Allen IS, 524
Allen JC, 478
Allessie MA, 395
Altieri PI, 127
Antzelevitch C, 116
Apstein CS, 766, 975
Arai H, 926
Armstead WM, 1
Armstrong ML, 515
Arndt H, 632
Artman M, 782
Ashida T, 854
Aubert J-F, 25

B

Baan J, 1247
Bache RJ, 178, 846
Bailey JC, 1027
Baker KM, 896
Balser JR, 1055
Barger AC, 279
Barron WM, 1159
Bashey RI, 757
Baumbach GL, 56
Bennett PB, 1055
Berk BC, 486
Bilezikian JP, 315, 800
Billette J, 790
Bishop SP, 1001
Björkerud S, 1011
Blaine EH, 31
Blarer S, 679
Blaustein MP, 854
Blinks JR, 247
Bonke FIM, 395
Bove AA, 226
Boyden PA, 596
Brainard JR, 1065
Breen CA, 471
Brin KP, 620
Brock TA, 486
Brown JH, 299
Brown MD, 965
Brunner HR, 25
Brutsaert DL, 358, 1171
Burgess MJ, 233
Burhop KE, 196, 687
Burnett JC Jr, 191
Burton KP, 306
Busija DW, 1

C

Camazine B, 871
Camilleri J-P, 641
Cant JR, 279
Carew TE, 699
Cassis LA, 1259
Casteels R, 266
Chagas ACP, 1237
Chai SY, 155
Chapnick BM, 983
Chen DG, 178
Chen P-S, 1191
Chen RM, 757
Chenoweth DE, 905
Chilian WM, 216
Chow Y-K, 315
Clapham DE, 1049, 1059
Coceani F, 471
Cohen LM, 535
Cohen NM, 347, 524
Colucci WS, 1049
Cook NS, 679
Coronado R, 411
Corvol P, 641
Cragoe EJ Jr, 478
Cruciani R, 173

D

Dai X-Z, 178, 846
Daniel EE, 1104
Danieley ND, 1191
Danilo P Jr, 315
Das DK, 8
Daughters GT II, 941
Davies PF, 1059
Delaney P, 1093
de Lordes Cerol M, 641
DeMaison L, 535
DeRoth L, 91
Dhalla NS, 51
Dhallan RS, 347, 524
Dillon PK, 722, 732
Dixon EG, 1191
Dixon RAF, 31
Dobrin PB, 56
Doda M, 1134
Dolber PC, 811
Dösemeci A, 347
Downey HF, 776
Dunlop PC, 494
Dunn MJ, 916
Durán WN, 722, 732
Dzau VJ, 279

E

Edwards BS, 191
Eggermont JA, 266
Eggleston AM, 535
Endoh M, 247
Entman ML, 572
Ershler PR, 233
Evéquoz D, 25

F

Faber JE, 37
Factor SM, 800
Falck JR, 471
Fallon JT, 105
Farber NE, 204
Feigl EO, 286, 443
Feuerstein G, 139
Fischmeister R, 660
Fish RD, 1049
Fleming JW, 992
Flückiger J-P, 25
Fornabaio D, 668
Förstermann U, 185
Fozzard HA, 162
Franch HA, 31
Frater RWM, 1210
Frazier DW, 1191
Frölich JC, 185
From AHL, 494
Fujii AM, 462
Fujiwara H, 543

G

Gaa ST, 524
Ganguly PK, 51
Garcia JGN, 196
Gärtner C, 632
Garvis WJ, 367
Geisterfer AAT, 749
Gelpi RJ, 462
Giannini E, 572
Gisbert M-P, 660
Glantz SA, 1237
Godfraind T, 91
Goldman WF, 854
Goldstein D, 299
Gorza L, 1182
Gotlieb AI, 833
Graham RM, 871
Gross GJ, 204
Guerrero JL, 871
Gupta MP, 51
Guth BD, 436
Gyorgy L, 1134

H

Hadley RW, 97
Hall J, 651
Halpern W, 741
Hamilton AM, 452
Hansen DE, 941
Hanson G, 572
Hart MN, 56
Hausknecht MJ, 620
Haverich A, 185
Hefner LL, 65
Heidlage JF, 811
Heistad DD, 56, 515
Heller LJ, 1147
Heublein DM, 191
Heusch G, 436
Hill JA Jr, 411
Hodges TD, 992
Hodsman GP, 155
Hoekenga DE, 1065

Circulation Research

VOLUME 62 JANUARY-JUNE 1988

VOLUME AUTHOR INDEX

A

Acad B-A, 1041
Ackell PH, 216
Adamova IY, 421
Alderman EL, 941
Alheid U, 185
Allen DG, 1223
Allen IS, 524
Allen JC, 478
Allessie MA, 395
Altieri PI, 127
Antzelevitch C, 116
Apstein CS, 766, 975
Arai H, 926
Armstead WM, 1
Armstrong ML, 515
Arndt H, 632
Artman M, 782
Ashida T, 854
Aubert J-F, 25

B

Baan J, 1247
Bache RJ, 178, 846
Bailey JC, 1027
Baker KM, 896
Balser JR, 1055
Barger AC, 279
Barron WM, 1159
Bashey RI, 757
Baumbach GL, 56
Bennett PB, 1055
Berk BC, 486
Bilezikian JP, 315, 800
Billette J, 790
Bishop SP, 1001
Björkerud S, 1011
Blaine EH, 31
Blarer S, 679
Blaustein MP, 854
Blinks JR, 247
Bonke FIM, 395
Bove AA, 226
Boyden PA, 596
Brainard JR, 1065
Breen CA, 471
Brin KP, 620
Brock TA, 486
Brown JH, 299
Brown MD, 965
Brunner HR, 25
Brutsaert DL, 358, 1171
Burgess MJ, 233
Burhop KE, 196, 687
Burnett JC Jr, 191
Burton KP, 306
Busija DW, 1

C

Camazine B, 871
Camilleri J-P, 641
Cant JR, 279
Carew TE, 699
Cassis LA, 1259
Casteels R, 266
Chagas ACP, 1237
Chai SY, 155
Chapnick BM, 983
Chen DG, 178
Chen P-S, 1191
Chen RM, 757
Chenoweth DE, 905
Chilian WM, 216
Chow Y-K, 315
Clapham DE, 1049, 1059
Coceani F, 471
Cohen LM, 535
Cohen NM, 347, 524
Colucci WS, 1049
Cook NS, 679
Coronado R, 411
Corvol P, 641
Cragoe EJ Jr, 478
Cruciani R, 173

D

Dai X-Z, 178, 846
Daniel EE, 1104
Danieley ND, 1191
Danilo P Jr, 315
Das DK, 8
Daughters GT II, 941
Davies PF, 1059
Delaney P, 1093
de Lordes Cerol M, 641
DeMaison L, 535
DeRoth L, 91
Dhalla NS, 51
Dhallan RS, 347, 524
Dillon PK, 722, 732
Dixon EG, 1191
Dixon RAF, 31
Dobrin PB, 56
Doda M, 1134
Dolber PC, 811
Dösemeci A, 347
Downey HF, 776
Dunlop PC, 494
Dunn MJ, 916
Durán WN, 722, 732
Dzau VJ, 279

E

Edwards BS, 191
Eggermont JA, 266
Eggleston AM, 535
Endoh M, 247
Entman ML, 572
Ershler PR, 233
Evéquoz D, 25

F

Faber JE, 37
Factor SM, 800
Falck JR, 471
Fallon JT, 105
Farber NE, 204
Feigl EO, 286, 443
Feuerstein G, 139
Fischmeister R, 660
Fish RD, 1049
Fleming JW, 992
Flückiger J-P, 25
Fornabaio D, 668
Förstermann U, 185
Fozzard HA, 162
Franch HA, 31
Frater RWM, 1210
Frazier DW, 1191
Frölich JC, 185
From AHL, 494
Fujii AM, 462
Fujiwara H, 543

G

Gaa ST, 524
Ganguly PK, 51
Garcia JGN, 196
Gärtner C, 632
Garvis WJ, 367
Geisterfer AAT, 749
Gelpi RJ, 462
Giannini E, 572
Gisbert M-P, 660
Glantz SA, 1237
Godfraind T, 91
Goldman WF, 854
Goldstein D, 299
Gorza L, 1182
Gotlieb AI, 833
Graham RM, 871
Gross GJ, 204
Guerrero JL, 871
Gupta MP, 51
Guth BD, 436
Gyorgy L, 1134

H

Hadley RW, 97
Hall J, 651
Halpern W, 741
Hamilton AM, 452
Hansen DE, 941
Hanson G, 572
Hart MN, 56
Hausknecht MJ, 620
Haverich A, 185
Hefner LL, 65
Heidlage JF, 811
Heistad DD, 56, 515
Heller LJ, 1147
Heublein DM, 191
Heusch G, 436
Hill JA Jr, 411
Hodges TD, 992
Hodsman GP, 155
Hoekenga DE, 1065

Hof RP, 679
Hoh JFY, 452
Homans DC, 846
Hondeghem LM, 1055
Huang AH, 286
Hudlická O, 965
Hume JR, 97
Hunter WC, 884
Hutson JY, 1065

I

Ideker RE, 1191
Iida H, 1159
Imura H, 926
Ingels NB Jr, 941
Ingwall JS, 766
Inoue H, 1111
Itoh H, 926

J

Jacobus WE, 609
Janicki JS, 757
January CT, 563
Johnson GJ, 494
Johnston CI, 155
Jones LG, 299
Joselevitz-Goldman J, 1041

K

Kagiyama A, 572
Kahn AM, 478
Kasiske BL, 367
Kass DA, 127
Katayama K, 436
Katoh N, 884
Katz SA, 443
Kaufman MP, 18
Kawaguchi H, 1175
Kawai C, 543
Keane WF, 367
Keating M, 127
Keef KD, 585
Kifor I, 279
Kihara Y, 543
Kim SH, 572
Kitamura K, 375
Kithas PA, 782
Knight DR, 105, 891
Komuro I, 1075, 1088
Korn RL, 1138
Korth M, 1080
Kreulen DL, 585
Kumar C, 1093
Kumar P, 81
Kurabayashi M, 1075
Kurihara M, 173
Kuriyama H, 375
Kuro-o M, 1088
Kusuoka H, 609
Kwan LJ, 452

L

Laine GA, 953
Lake CR, 139
Lammers WJEP, 395
Lascano EC, 1121
Latson TW, 884
Lattion A-L, 641
Lederer WJ, 347, 524
Lee J-D, 436
Lees JG, 471
Leffler CW, 1
Leis LA, 494
Leppäluoto J, 384
Lester WM, 833
Lew WYW, 711
Liedtke AJ, 535
Litovsky SH, 116
Liu J, 1001
Lonart G, 1134
Lorell BH, 766
Lowenstein E, 905
Lyakishev AA, 421
Lynch KR, 1259

M

Machii K, 1088
Malik AB, 196, 687
Manders WT, 105
Mann DE, 554
Marban E, 609
Martsenyuk ON, 421
Maughan WL, 127
Mazack EK, 506
McCarthy J, 306
McCoy KW, 18
Meisner JS, 1210
Mendelsohn FAO, 155
Mendola C, 1093
Mené P, 916
Métayer R, 790
Meulemans AL, 358, 1171
Michael LH, 572
Michel J-B, 641
Miller DC, 941
Miller WL, 226
Mirro R, 1
Mirsky I, 462
Mishra OP, 1019
Miyazaki S, 543
Moake JN, 572
Momomura S-i, 766
Morano I, 632
Morel DR, 905
Morii N, 926
Morris SA, 800
Mügge A, 185
Mukoyama M, 926
Mullane KM, 668

N

Nabel EG, 486
Nakamura Y, 543
Nakanishi S, 926
Nakao K, 926
Nakayama K, 741
Nakayama T, 162
Neely JR, 931
Negroni JA, 1121
Nellis SH, 535
Nelson GH, 86
Neuhof H, 651
Nguyenduy T, 905
Nikolić S, 1210
Nomoto K, 1088
Nussberger J, 25

O

O'Donnell MP, 367
Ohkubo H, 926
Ohya Y, 375
Okada T, 338
Olesen S-P, 1059
Olley PM, 471
Onodera T, 543
Opie LH, 306
Orekhov AN, 421
Osol G, 741
Otani Hajime, 8
Otani Hitomi, 8
Overbeck HW, 1001
Owens GK, 749

P

Paganelli WC, 279
Page E, 1159
Panagia V, 51
Patrick TA, 105
Peach MJ, 749, 1259
Permutt S, 620
Phair RD, 75
Philippe M, 641
Pichel RH, 1121
Pick R, 757
Pieper GM, 204
Pintal RR, 279
Pokrovsky SN, 421
Pollock JV, 1138
Potter WZ, 173
Pourcyrous M, 1
Powell WJ Jr, 871

Q

Quast U, 679

R

Raeymaekers L, 266
Reeves DNS, 65
Regal JF, 1147
Reisberg MA, 572
Reiter MJ, 554
Rensma PL, 395
Repine JE, 905
Riddle JM, 563
Ritter AB, 722
Robinson DR, 905
Roden DM, 1055
Rogers TB, 347, 524
Roka L, 651
Rosen MR, 315
Rosenblum WI, 86
Ross J Jr, 436
Rossen RD, 572
Rossmanith GH, 452
Rotto DM, 18
Rubanyi GM, 1098
Rüegg JC, 632
Ruskoaho H, 384
Russek LN, 75
Rybicki KJ, 18

S

Saavedra JM, 173
Sagawa K, 884

Saidapet C, 1093
Saito K, 173
Saito Y, 926
Saitoh H, 1027
Salata JJ, 324, 563
Salzmann J-L, 641
Sasayama S, 543
Savage HE, 572
Schaeffer J, 854
Schalij MJ, 395
Schiaffino S, 1182
Scholz PM, 1041
Schwab TR, 191
Schwartz JS, 178, 846
Schwenke DC, 699
Secrest RJ, 983
Seeger W, 651
Seitelberger R, 436
Self D, 572
Selig WM, 196, 687
Sexton PM, 155
Seymour AA, 506
Shannon RP, 871
Sharma VK, 1080
Shelat H, 478
Sheu S-S, 1080
Shiono S, 926
Shroff SG, 757
Siddiqui MAQ, 1093
Siegl PKS, 31
Simirnov VN, 421
Singer HA, 896
Sipido KR, 358, 1171
Sirén A-L, 139
Smeda JS, 1104
Smith GL, 1223
Smith TW, 486
Smith WM, 1191
Snyders DJ, 1055
Solaro RJ, 81
Spach MS, 811
Spath JA Jr, 1138
Sperti G, 1049
Spitzer KW, 233
Steinberg SF, 315
Steinhaus BM, 233
Strada SJ, 782
Strauss HC, 411
Strickberger SA, 75
St-Vincent M, 790
Sugawara A, 926
Surawicz B, 1027
Susawa T, 543
Synhorst DP, 554
Sys SU, 358, 1171

T

Takaku F, 1075, 1088
Tamura K, 1210
Tamura T, 1210
Tani M, 931
Tanowitz H, 800
Tertov VV, 421
Thandroyen FT, 306
Thomas JP, 204
Thompson WJ, 782
Thornell L-E, 1182
Traill TA, 127
Tsuchimochi H, 1088
Tsunoda K, 155
Twort CHC, 961

U

Urthaler F, 65

V

van Breemen C, 961
Van Der Velde ET, 1247
Vanhoutte PM, 1098
Vatner SF, 105, 462, 891
Vetter H, 1210
Villarreal FJ, 711
Vizi ES, 1134
Vogel WM, 975
Vrolix M, 266

W

Wade JB, 854
Waeber B, 25
Wagerle LC, 1019
Waldman LK, 711
Walker AA, 65
Wasserstrom JA, 324
Watanabe AM, 992
Watanabe M, 86
Watanabe N, 776
Weakley S, 572
Weber KT, 757
Weinberg EO, 766
Weisfeldt ML, 620
Weiss HR, 1041
Wexler LF, 766
Whitmer JT, 81
Wibo M, 91
Williams JK, 515
Wittner M, 800
Wolf PD, 1191
Wuytack F, 266

Y

Yamada T, 926
Yasuda H, 1175
Yazaki Y, 1075, 1088
Yellin EL, 1210
Yin FCP, 620
Yonekura S, 776
Young MA, 891

Z

Zager RA, 430
Zapol WM, 905
Zimmer R, 478
Zimmerman RS, 191
Zipes DP, 1111

Circulation Research

VOLUME 62 JANUARY-JUNE 1988

VOLUME SUBJECT INDEX

A

A23187
Selective attenuation of endothelium-mediated vasodilation in atherosclerotic human coronary arteries, 185
Accommodation
Selective functional characteristics of rate-induced fatigue in rabbit atrioventricular node, 790
Acetylcholine
In vivo effect of methylene blue on endothelium-dependent and endothelium-independent dilations of brain microvessels in mice, 86
Muscarinic-activated K^+ current in bovine aortic endothelial cells, 1059
Parasympathetic coronary vasoconstriction induced by nicotine in conscious calves, 891
Potassium-induced release of endothelium-derived relaxing factor from canine femoral arteries, 1098
Reactivity of isolated porcine coronary resistance arteries to cholinergic and adrenergic drugs and transmural pressure changes, 741
Selective attenuation of endothelium-mediated vasodilation in atherosclerotic human coronary arteries, 185
Acridine orange
Sodium-lithium exchange in sarcolemmal vesicles from canine superior mesenteric artery, 478
Action potential
Alternans of action potential duration after abrupt shortening of cycle length: Differences between dog Purkinje and ventricular muscle fibers, 1027
Effects of quinidine on action potentials and ionic currents in isolated canine ventricular myocytes, 324
Activation sequence
Nonuniform epicardial activation and repolarization properties of in vivo canine pulmonary conus, 233
Acute renal failure
Hypoperfusion-induced acute renal failure in the rat: An evaluation of oxidant tissue injury, 430
Adenine nucleotides
Potassium-induced release of endothelium-derived relaxing factor from canine femoral arteries, 1098
Adenosine
Effect of adenosine on histamine release and atrioventricular conduction during guinea pig cardiac anaphylaxis, 1147
Mechanism of CO_2 response in cerebral arteries of the newborn pig: Role of phospholipase, cyclooxygenase, and lipoxygenase pathways, 1019
Adenosine deaminase
Role of adenosine in coronary vasodilation during exercise, 846
Adenylate cyclase
Atrial natriuretic factor regulates the calcium current in frog isolated cardiac cells, 660
Pertussis toxin–treated dog: A whole animal model of impaired inhibitory regulation of adenylate cyclase, 992
α-Adrenergic constriction
Transmural differences in sympathetic coronary constriction during exercise in the presence of coronary stenosis, 216
α_1-Adrenergic stimulation
Role of a pertussis toxin–sensitive protein in the modulation of canine Purkinje fiber automaticity, 315
β-Adrenergic
Adrenaline increases the rate of cycling of crossbridges in rat cardiac muscle as measured by pseudo–random binary noise–modulated perturbation analysis, 452
β-Adrenergic adenylate cyclase
Myocardial adenylate cyclase activity in acute murine Chagas' disease, 800
Adrenergic blockers
Hemodynamic and neural mechanisms of action of thyrotropin-releasing hormone in the rat, 139
Adrenergic drugs
Reactivity of isolated porcine coronary resistance arteries to cholinergic and adrenergic drugs and transmural pressure changes, 741
Adrenoceptors
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247
α_1-Adrenoceptor–mediated phosphoinositide breakdown and inotropic response in rat left ventricular papillary muscles, 8
Evidence that dopaminergic innervation is not involved in the vasodilatation of cat superior mesenteric arterial bed: The role of β-adrenoceptors and circulating catecholamines, 1134
Neurogenic histaminergic vasodilation in canine skeletal muscle: Mediation by α_2-adrenoceptor stimulation, 871
β-Adrenoceptor blockers
Characterization of β_1- and β_2-adrenoceptor subtypes in the rat atrioventricular node by quantitative autoradiography, 173
Aequorin
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247
Albumin-Ringer's perfusate
Monohydroxyeicosatetraenoic acids (5-HETE and 15-HETE) induce pulmonary vasoconstriction and edema, 687
Alternans of action potential
Alternans of action potential duration after abrupt shortening of cycle length: Differences between dog Purkinje and ventricular muscle fibers, 1027
Anaphylaxis
Effect of adenosine on histamine release and atrioventricular conduction during guinea pig cardiac anaphylaxis, 1147
Angiotensin II
Angiotensin II increases spontaneous contractile frequency and stimulates calcium current in cultured neonatal rat heart myocytes: Insights into the underlying biochemical mechanisms, 524
Angiotensin II induces hypertrophy, not hyperplasia, of cultured rat aortic smooth muscle cells, 749
Identification and characterization of guinea pig angiotensin II ventricular and atrial receptors: Coupling to inositol phosphate production, 896
Phorbol ester increases calcium current and simulates the effects of angiotensin II on cultured neonatal rat heart myocytes, 347
Renal effects of atrial natriuretic factor during control of the renin-angiotensin system in anesthetized dogs, 506
Angiotensinogen
Localization of angiotensinogen messenger RNA in rat aorta, 1259
Anisotropic drug effects
Influence of the passive anisotropic properties on directional differences in propagation following modification of the sodium conductance in human atrial muscle, 811
Anisotropic reentry model
Influence of the passive anisotropic properties on directional differences in propagation following modification of the sodium conductance in human atrial muscle, 811
Anisotropy
Nonuniform epicardial activation and repolarization properties of in vivo canine pulmonary conus, 233
Anoxia
Facilitating effect of cold shock on recovery from anoxia-induced contractile depression in isolated rat heart and heart muscle, 338
Antioxidants
Hypoperfusion-induced acute renal failure in the rat: An evaluation of oxidant tissue injury, 430
Aorta
Quantification in vivo of increased LDL content and rate of LDL degradation in normal rabbit aorta occurring at sites susceptible to early atherosclerotic lesions, 699

Aortic occlusion
Sensitivity of left ventricular end-systolic pressure-volume relation to type of loading intervention in dogs, 1247
Arachidonic acid
Effect of platelet-activating factor on microvascular permselectivity: Dose-response relations and pathways of action in the hamster cheek pouch microcirculation, 732
Prostacyclin biosynthesis and phospholipase activity in hypoxic rat myocardium, 1175
Vasoconstrictor effects of platelet-activating factor in the hamster cheek pouch microcirculation: Dose-related relations and pathways of action, 722
Arrhythmia
A model for early afterdepolarizations: Induction with the Ca^{2+} channel agonist Bay K 8644, 563
Calcium oscillations in digitalis-induced ventricular fibrillation: Pathogenetic role and metabolic consequences in isolated ferret hearts, 609
Effect of adenosine on histamine release and atrioventricular conduction during guinea pig cardiac anaphylaxis, 1147
Electrophysiological effects of acute ventricular dilatation in the isolated rabbit heart, 554
Length of excitation wave and susceptibility to reentrant atrial arrhythmias in normal conscious dogs, 395
Reconstitution and characterization of a calcium-activated channel from heart, 411
Ryanodine and caffeine prevent ventricular arrhythmias during acute myocardial ischemia and reperfusion in rat heart, 306
Arterial compliance
Effect of nitroglycerin on aortic impedance, diameter, and pulse-wave velocity, 884
Artery
Elevations in arterial pressure induce the formation of spontaneous action potentials and alter neurotransmission in canine ileum arteries, 1104
Impaired fibrinolysis-inducing capacity for postinjury phenotype of cultivated human arterial and human atherosclerotic intimal smooth muscle cells, 1011
Atherogenesis
Evidence for increased aortic plasma membrane calcium transport caused by experimental atherosclerosis in rabbits, 75
Atherosclerosis
Blood serum atherogenicity associated with coronary atherosclerosis. Evidence for nonlipid factor providing atherogenicity of low-density lipoproteins and an approach to its elimination, 421
Impaired fibrinolysis-inducing capacity for postinjury phenotype of cultivated human arterial and human atherosclerotic intimal smooth muscle cells, 1011
Quantification in vivo of increased LDL content and rate of LDL degradation in normal rabbit aorta occurring at sites susceptible to early atherosclerotic lesions, 699
Selective attenuation of endothelium-mediated vasodilation in atherosclerotic human coronary arteries, 185
Vasa vasorum in atherosclerotic coronary arteries: Responses to vasoactive stimuli and regression of atherosclerosis, 515
Atrial enlargement
Activation sequence during atrial flutter in dogs with surgically induced right atrial enlargement I: Observations during sustained rhythms, 596
Atrial flutter
Activation sequence during atrial flutter in dogs with surgically induced right atrial enlargement I: Observations during sustained rhythms, 596
Atrial myocyte
Monensin turns on microtubule-associated translocation of secretory granules in cultured rat atrial myocytes, 1159
Atrial natriuretic factor
Atrial natriuretic factor regulates the calcium current in frog isolated cardiac cells, 660
Atrial stretch, not pressure, is the principal determinant controlling the acute release of atrial natriuretic factor, 191
Effects of atrial natriuretic peptide in the canine coronary circulation, 178
Hormonal and cardiac effects of converting enzyme inhibition in rat myocardial infarction, 641
Plasma atrial natriuretic factor during chronic thoracic inferior vena caval constriction, 279
Renal effects of atrial natriuretic factor during control of the renin-angiotensin system in anesthetized dogs, 506
Ventricular atrial natriuretic factor in the cardiomyopathic hamster model of congestive heart failure, 31
Atrial natriuretic peptide
Atrial stretch, not pressure, is the principal determinant controlling the acute release of atrial natriuretic factor, 191
Atriopeptin III induces early relaxation of isolated mammalian papillary muscle, 1171
Augmented expression of atrial natriuretic polypeptide gene in ventricles of spontaneously hypertensive rats (SHR) and SHR-stroke prone, 926
Decreased atrial natriuretic peptide binding in renal medulla in rats with chronic heart failure, 155
Immunoreactive atrial natriuretic peptide in ventricles, atria, hypothalamus, and plasma of genetically hypertensive rats, 384
Monensin turns on microtubule-associated translocation of secretory granules in cultured rat atrial myocytes, 1159
Atrial reentry
Activation sequence during atrial flutter in dogs with surgically induced right atrial enlargement I: Observations during sustained rhythms, 596
Atrial stretch
Atrial stretch, not pressure, is the principal determinant controlling the acute release of atrial natriuretic factor, 191
Atrioventricular conduction
Effect of adenosine on histamine release and atrioventricular conduction during guinea pig cardiac anaphylaxis, 1147
Atrioventricular node
Characterization of β_1- and β_2-adrenoceptor subtypes in the rat atrioventricular node by quantitative autoradiography, 173
Nodal myosin distribution in the bovine heart during prenatal development: An immunohistochemical study, 1182
Selective functional characteristics of rate-induced fatigue in rabbit atrioventricular node, 790
Atrium
Identification and characterization of guinea pig angiotensin II ventricular and atrial receptors: Coupling to inositol phosphate production, 896

B

Baboon
Effects of calcium channel blocker on response of blood flow, function, arrhythmias, and extent of infarction following reperfusion in conscious baboons, 105
Bay K 8644
Calcium channel antagonist properties of Bay K 8644 in single guinea pig ventricular cells, 97
Dihydropyridine agonist Bay K 8644 inhibits platelet activation by competitive antagonism of thromboxane A_2–prostaglandin H_2 receptor, 494
A model for early afterdepolarizations: Induction with the Ca^{2+} channel agonist Bay K 8644, 563
α-Blockade
Adrenergic coronary vasoconstriction helps maintain uniform transmural blood flow distribution during exercise, 286
β-Blockade
Adrenergic coronary vasoconstriction helps maintain uniform transmural blood flow distribution during exercise, 286
B-HT 933
In situ analysis of α-adrenoceptors on arteriolar and venular smooth muscle in rat skeletal muscle microcirculation, 37
Blood perfusate
Monohydroxyeicosatetraenoic acids (5-HETE and 15-HETE) induce pulmonary vasoconstriction and edema, 687
Blood pressure
Neuropeptide Y prevents the blood pressure fall induced by endotoxin in conscious rats with adrenal medullectomy, 25
Bradykinin
In vivo effect of methylene blue on endothelium-dependent and endothelium-independent dilations of brain microvessels in mice, 86

Selective attenuation of endothelium-mediated vasodilation in atherosclerotic human coronary arteries, 185

BRL34915
Mechanism of action and systemic and regional hemodynamics of the potassium channel activator BRL34915 and its enantiomers, 679

C

Caffeine
Maximal twitch tension in intact length-clamped ferret papillary muscles evoked by modified postextrasystolic potentiation, 65
Ryanodine and caffeine prevent ventricular arrhythmias during acute myocardial ischemia and reperfusion in rat heart, 306

Calcium
Cyclic guanosine monophosphate–enhanced sequestration of Ca^{2+} by sarcoplasmic reticulum in vascular smooth muscle, 961
Effects of damaging the endocardial surface on the mechanical performance of isolated cardiac muscle, 358
Na^+-Ca^{2+} exchange in cultured vascular smooth muscle cells, 486
Phorbol ester increases the dihydropyridine-sensitive calcium conductance in a vascular smooth muscle cell line, 1049
Role of sarcoplasmic reticulum in arterial contraction: Comparison of ryanodine's effect in a conduit and a muscular artery, 854
Stimulation of muscarinic receptors raises free intracellular Ca^{2+} concentration in rat ventricular myocytes, 1080

Calcium-activated channel
Reconstitution and characterization of a calcium-activated channel from heart, 411

Calcium antagonists
Effects of intracoronary verapamil administration in a sheep model of acute myocardial ischemia and reperfusion, 1138

Calcium channel
Calcium channel antagonist properties of Bay K 8644 in single guinea pig ventricular cells, 97

Calcium channel
Calcium channel antagonist properties of Bay K 8644 in single guinea pig ventricular cells, 97
Effects of calcium channel blocker on response of blood flow, function, arrhythmias, and extent of infarction following reperfusion in conscious baboons, 105
Pharmacologic relevance of dihydropyridine binding sites in membranes from rat aorta: Kinetic and equilibrium studies, 91
Phorbol ester increases calcium current and simulates the effects of angiotensin II on cultured neonatal rat heart myocytes, 347
Phorbol ester increases the dihydropyridine-sensitive calcium conductance in a vascular smooth muscle cell line, 1049
Regulation of calcium current by intracellular calcium in smooth muscle cells of rabbit portal vein, 375

Calcium current
Angiotensin II increases spontaneous contractile frequency and stimulates calcium current in cultured neonatal rat heart myocytes: Insights into the underlying biochemical mechanisms, 524
Atrial natriuretic factor regulates the calcium current in frog isolated cardiac cells, 660
Effects of quinidine on action potentials and ionic currents in isolated canine ventricular myocytes, 324
Phorbol ester increases calcium current and simulates the effects of angiotensin II on cultured neonatal rat heart myocytes, 347

Calcium entry blocker
Pharmacologic relevance of dihydropyridine binding sites in membranes from rat aorta: Kinetic and equilibrium studies, 91

Calcium overload
Facilitating effect of cold shock on recovery from anoxia-induced contractile depression in isolated rat heart and heart muscle, 338

Calcium sensitivity
Skinned fibers of human atrium and ventricle: Myosin isoenzymes and contractility, 632

Calcium transients
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247

Calcium transport
Ca^{2+}-transport ATPases of vascular smooth muscle, 266
Calcium transport properties of cardiac sarcoplasmic reticulum from cardiomyopathic Syrian hamsters (BIO 53.58 and 14.6): Evidence for a quantitative defect in dilated myopathic hearts not evident in hypertrophic hearts, 81

Canines
Endothelial-dependent relaxation induced by leukotrienes C_4, D_4, and E_4 in isolated canine arteries, 983
Transient outward current prominent in canine ventricular epicardium but not endocardium, 116
Transmural variation in autoregulation of right ventricular blood flow, 776

Capacitance
Systole has little effect on diastolic coronary artery blood flow, 443

Capillary density
Protective effects of long-term bradycardial pacing against catecholamine-induced myocardial damage in rabbit hearts, 965

Capillary filtration coefficient
Monohydroxyeicosatetraenoic acids (5-HETE and 15-HETE) induce pulmonary vasoconstriction and edema, 687

Capillary hydrostatic pressure
Substance P-induced pulmonary vasoreactivity in isolated perfused guinea pig lung, 196

Carbachol
Stimulation of muscarinic receptors raises free intracellular Ca^{2+} concentration in rat ventricular myocytes, 1080

Cardiac-autonomic interactions
Role of a pertussis toxin–sensitive protein in the modulation of canine Purkinje fiber automaticity, 315

Cardiac contractility
Effects of alloxan-induced diabetes on ischemia-reperfusion injury in rabbit hearts, 975
Skinned fibers of human atrium and ventricle: Myosin isoenzymes and contractility, 632

Cardiac denervation
Improved distribution of regional oxygenation in denervated ischemic dog myocardium, 1041

Cardiac development
Expression of cellular oncogenes in the myocardium during the developmental stage and pressure-overloaded hypertrophy of the rat heart, 1075
Nodal myosin distribution in the bovine heart during prenatal development: An immunohistochemical study, 1182

Cardiac electrophysiology
Calcium channel antagonist properties of Bay K 8644 in single guinea pig ventricular cells, 97

Cardiac hypertrophy
Expression of cellular oncogenes in the myocardium during the developmental stage and pressure-overloaded hypertrophy of the rat heart, 1075
Immunoreactive atrial natriuretic peptide in ventricles, atria, hypothalamus, and plasma of genetically hypertensive rats, 384

Cardiac insufficiency
Hormonal and cardiac effects of converting enzyme inhibition in rat myocardial infarction, 641

Cardiac isolated cells
Atrial natriuretic factor regulates the calcium current in frog isolated cardiac cells, 660

Cardiac isomyosins
Adrenaline increases the rate of cycling of crossbridges in rat cardiac muscle as measured by pseudo–random binary noise–modulated perturbation analysis, 452

Cardiac mechanics
Angiographic validation of eigenvolume to measure left ventricular size, 1237

Cardiac metabolism
Rates of glycolysis and glycogenolysis during ischemia in glucose-insulin-potassium-treated perfused hearts: A ^{13}C, ^{31}P nuclear magnetic resonance study, 1065

Cardiac muscle
Effect of adenosine on histamine release and atrioventricular conduction during guinea pig cardiac anaphylaxis, 1147

Cardiac myosin
Hormonal and cardiac effects of converting enzyme inhibition in rat myocardial infarction, 641

Cardiac output
Protective effects of long-term bradycardial pacing against catecholamine-induced myocardial damage in rabbit hearts, 965
Cardiac tamponade
Atrial stretch, not pressure, is the principal determinant controlling the acute release of atrial natriuretic factor, 191
Cardiac work
Protective effects of long-term bradycardial pacing against catecholamine-induced myocardial damage in rabbit hearts, 965
Cardiomyopathy
Calcium transport properties of cardiac sarcoplasmic reticulum from cardiomyopathic Syrian hamsters (BIO 53.58 and 14.6): Evidence for a quantitative defect in dilated myopathic hearts not evident in hypertrophic hearts, 81
Ventricular atrial natriuretic factor in the cardiomyopathic hamster model of congestive heart failure, 31
Cardiopulmonary interaction
Effects of left ventricular loading by negative intrathoracic pressure in dogs, 620
Cardiotonic drugs
Subcellular distribution of high-affinity type IV cyclic AMP phosphodiesterase activity in rabbit ventricular myocardium: Relations to the effects of cardiotonic drugs, 782
Catecholamines
Neuropeptide Y prevents the blood pressure fall induced by endotoxin in conscious rats with adrenal medullectomy, 25
Potassium-induced release of endothelium-derived relaxing factor from canine femoral arteries, 1098
Cats
Attenuation of the reflex pressor response to muscular contraction by an antagonist to somatostatin, 18
Evidence that dopaminergic innervation is not involved in the vasodilatation of cat superior mesenteric arterial bed: The role of β-adrenoceptors and circulating catecholamines, 1134
Cell culture
Blood serum atherogenicity associated with coronary atherosclerosis. Evidence for nonlipid factor providing atherogenicity of low-density lipoproteins and an approach to its elimination, 421
Eicosanoids and control of mesangial cell contraction, 916
Cell membrane
Identification and characterization of guinea pig angiotensin II ventricular and atrial receptors: Coupling to inositol phosphate production, 896
Cellular oncogenes
Expression of cellular oncogenes in the myocardium during the developmental stage and pressure-overloaded hypertrophy of the rat heart, 1075
Central segment length control
Maximal twitch tension in intact length-clamped ferret papillary muscles evoked by modified postextrasystolic potentiation, 65
Cerebral circulation
Mechanics of cerebral arterioles in hypertensive rats, 56
Platelet activating factor: A potent constrictor of cerebral arterioles in newborn pigs, 1
Cerebral microcirculation
In vivo effect of methylene blue on endothelium-dependent and endothelium-independent dilations of brain microvessels in mice, 86
Cerebrovascular
Mechanism of CO_2 response in cerebral arteries of the newborn pig: Role of phospholipase, cyclooxygenase, and lipoxygenase pathways, 1019
Chagasic cardiomyopathy
Myocardial adenylate cyclase activity in acute murine Chagas' disease, 800
Chamber compliance
Role of the left atrium in adaptation of the heart to chronic mitral regurgitation in conscious dogs, 543
Chamber mechanical properties
A computer study of the relation between chamber mechanical properties and mean pressure–mean flow of the left ventricle, 1121
Chamber mechanics
Collagen remodeling of the pressure-overloaded, hypertrophied nonhuman primate myocardium, 757
Chronic arterial hypertension
Microvascular changes in the heart during chronic arterial hypertension, 953
Chronic heart failure
Decreased atrial natriuretic peptide binding in renal medulla in rats with chronic heart failure, 155
Chronic mitral regurgitation
Role of the left atrium in adaptation of the heart to chronic mitral regurgitation in conscious dogs, 543
Chronotropism
Characterization of β_1- and β_2-adrenoceptor subtypes in the rat atrioventricular node by quantitative autoradiography, 173
Cimetidine
Differential H_1- and H_2-receptor–mediated histamine responses of canine epicardial conductance and distal resistance coronary vessels, 226
Clearance
Effect of platelet-activating factor on microvascular permselectivity: Dose-response relations and pathways of action in the hamster cheek pouch microcirculation, 732
Clofibrate
Pharmacologic treatment of hyperlipidemia reduces glomerular injury in rat 5/6 nephrectomy model of chronic renal failure, 367
Clofibric acid
Pharmacologic treatment of hyperlipidemia reduces glomerular injury in rat 5/6 nephrectomy model of chronic renal failure, 367
CO_2
Mechanism of CO_2 response in cerebral arteries of the newborn pig: Role of phospholipase, cyclooxygenase, and lipoxygenase pathways, 1019
Collagen
Collagen remodeling of the pressure-overloaded, hypertrophied nonhuman primate myocardium, 757
Complement
Mechanism of complement activation after coronary artery occlusion: Evidence that myocardial ischemia in dogs causes release of constituents of myocardial subcellular origin that complex with human C1q in vivo, 572
Computers
A computer study of the relation between chamber mechanical properties and mean pressure–mean flow of the left ventricle, 1121
Evidence for increased aortic plasma membrane calcium transport caused by experimental atherosclerosis in rabbits, 75
Nonuniform epicardial activation and repolarization properties of in vivo canine pulmonary conus, 233
Conductance catheter
Sensitivity of left ventricular end-systolic pressure-volume relation to type of loading intervention in dogs, 1247
Conduction system
Characterization of β_1- and β_2-adrenoceptor subtypes in the rat atrioventricular node by quantitative autoradiography, 173
Congestive heart failure
Electrophysiological effects of acute ventricular dilatation in the isolated rabbit heart, 554
Contraction
A model for early afterdepolarizations: Induction with the Ca^{2+} channel agonist Bay K 8644, 563
Contracture
Facilitating effect of cold shock on recovery from anoxia-induced contractile depression in isolated rat heart and heart muscle, 338
Contrast cine ventriculography
Abnormalities of dynamic ventricular shape change in patients with aortic and mitral valvular regurgitation: Assessment by Fourier shape analysis and global geometric indexes, 127
Converting enzyme inhibition
Renal effects of atrial natriuretic factor during control of the renin-angiotensin system in anesthetized dogs, 506
Coronary artery
Electrical responses of guinea pig coronary artery to transmural stimulation, 585
Potassium-induced release of endothelium-derived relaxing factor from canine femoral arteries, 1098
Coronary blood flow
Improved distribution of regional oxygenation in denervated ischemic dog myocardium, 1041
Parasympathetic coronary vasoconstriction induced by nicotine in conscious calves, 891
Role of adenosine in coronary vasodilation during exercise, 846

Transmural differences in sympathetic coronary constriction during exercise in the presence of coronary stenosis, 216
Coronary circulation
Reactivity of isolated porcine coronary resistance arteries to cholinergic and adrenergic drugs and transmural pressure changes, 741
Transmural variation in autoregulation of right ventricular blood flow, 776
Coronary conductance
Systole has little effect on diastolic coronary artery blood flow, 443
Coronary sinus Po_2
Role of adenosine in coronary vasodilation during exercise, 846
Coronary stenosis
Intracoronary α_2-adrenergic receptor blockade attenuates ischemia in conscious dogs during exercise, 436
Coronary vasodilation
Effects of atrial natriuretic peptide in the canine coronary circulation, 178
Coronary vessels
Reactivity of isolated porcine coronary resistance arteries to cholinergic and adrenergic drugs and transmural pressure changes, 741
Crossbridge kinetics
Adrenaline increases the rate of cycling of crossbridges in rat cardiac muscle as measured by pseudo–random binary noise–modulated perturbation analysis, 452
Cyclic AMP
Angiotensin II increases spontaneous contractile frequency and stimulates calcium current in cultured neonatal rat heart myocytes: Insights into the underlying biochemical mechanisms, 524
Atrial natriuretic factor regulates the calcium current in frog isolated cardiac cells, 660
Eicosanoids and control of mesangial cell contraction, 916
Cyclic AMP-dependent protein kinase
Subcellular distribution of high-affinity type IV cyclic AMP phosphodiesterase activity in rabbit ventricular myocardium: Relations to the effects of cardiotonic drugs, 782
Cyclic GMP
Cyclic guanosine monophosphate–enhanced sequestration of Ca^{2+} by sarcoplasmic reticulum in vascular smooth muscle, 961
In vivo effect of methylene blue on endothelium-dependent and endothelium-independent dilations of brain microvessels in mice, 86
Cyclooxygenase
Mechanism of CO_2 response in cerebral arteries of the newborn pig: Role of phospholipase, cyclooxygenase, and lipoxygenase pathways, 1019
Cyclooxygenase metabolites
Substance P-induced pulmonary vasoreactivity in isolated perfused guinea pig lung, 196
Cytochrome P-450 inhibitors
Further evidence implicating a cytochrome P-450–mediated reaction in the contractile tension of the lamb ductus arteriosus, 471

D

Delayed rectifier
Quinidine delays I_K activation in guinea pig ventricular myocytes, 1055
Denervation
Time course of denervation of efferent sympathetic and vagal nerves after occlusion of the coronary artery in the canine heart, 1111
Depolarization
Potassium-induced release of endothelium-derived relaxing factor from canine femoral arteries, 1098
Diabetes
Effects of alloxan-induced diabetes on ischemia-reperfusion injury in rabbit hearts, 975
Hearts from diabetic rats are more resistant to in vitro ischemia: Possible role of altered Ca^{2+} metabolism, 931
Diacylglycerol
α_1-Adrenoceptor–mediated phosphoinositide breakdown and inotropic response in rat left ventricular papillary muscles, 8
Diastolic dysfunction
Enhanced sensitivity to hypoxia-induced diastolic dysfunction in pressure-overload left ventricular hypertrophy in the rat: Role of high-energy phosphate depletion, 766
Diastolic function
Systolic and diastolic dysfunction during atrial pacing in conscious dogs with left ventricular hypertrophy, 462
Diastolic stiffness
Passive properties of canine left ventricle: Diastolic stiffness and restoring forces, 1210
Diastolic suction
Passive properties of canine left ventricle: Diastolic stiffness and restoring forces, 1210
Dihydropyridines
Calcium channel antagonist properties of Bay K 8644 in single guinea pig ventricular cells, 97
Dihydropyridine agonist Bay K 8644 inhibits platelet activation by competitive antagonism of thromboxane A_2–prostaglandin H_2 receptor, 494
Pharmacologic relevance of dihydropyridine binding sites in membranes from rat aorta: Kinetic and equilibrium studies, 91
Diphenhydramine
Differential H_1- and H_2-receptor–mediated histamine responses of canine epicardial conductance and distal resistance coronary vessels, 226
3,3′-Dipropylthiadicarbocyanine iodide
Sodium-lithium exchange in sarcolemmal vesicles from canine superior mesenteric artery, 478
Dispersion of refractoriness
Length of excitation wave and susceptibility to reentrant atrial arrhythmias in normal conscious dogs, 395
Distal resistance vessels
Differential H_1- and H_2-receptor–mediated histamine responses of canine epicardial conductance and distal resistance coronary vessels, 226
Dopamine
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247
Evidence that dopaminergic innervation is not involved in the vasodilatation of cat superior mesenteric arterial bed: The role of β-adrenoceptors and circulating catecholamines, 1134
Down-regulation
Decreased atrial natriuretic peptide binding in renal medulla in rats with chronic heart failure, 155
Ductus arteriosus closure
Further evidence implicating a cytochrome P-450–mediated reaction in the contractile tension of the lamb ductus arteriosus, 471

E

Early afterdepolarizations
A model for early afterdepolarizations: Induction with the Ca^{2+} channel agonist Bay K 8644, 563
Effective refractory period
Time course of denervation of efferent sympathetic and vagal nerves after occlusion of the coronary artery in the canine heart, 1111
Efferent sympathetic nerve
Time course of denervation of efferent sympathetic and vagal nerves after occlusion of the coronary artery in the canine heart, 1111
Efferent vagal nerve
Time course of denervation of efferent sympathetic and vagal nerves after occlusion of the coronary artery in the canine heart, 1111
Eicosanoids
Further evidence implicating a cytochrome P-450–mediated reaction in the contractile tension of the lamb ductus arteriosus, 471
Electrical restitution
Alternans of action potential duration after abrupt shortening of cycle length: Differences between dog Purkinje and ventricular muscle fibers, 1027
Electrophysiology
Quinidine delays I_K activation in guinea pig ventricular myocytes, 1055
Electrotonus
Nonuniform epicardial activation and repolarization properties of in vivo canine pulmonary conus, 233

E_{max}
Sensitivity of left ventricular end-systolic pressure-volume relation to type of loading intervention in dogs, 1247
Enalaprilat
Renal effects of atrial natriuretic factor during control of the renin-angiotensin system in anesthetized dogs, 506
Enantiomers
Mechanism of action and systemic and regional hemodynamics of the potassium channel activator BRL34915 and its enantiomers, 679
Endocardium
Atriopeptin III induces early relaxation of isolated mammalian papillary muscle, 1171
Effects of damaging the endocardial surface on the mechanical performance of isolated cardiac muscle, 358
Transient outward current prominent in canine ventricular epicardium but not endocardium, 116
Endocardium-organ culture
In vitro repair of the wounded porcine mitral valve, 833
Endoplasmic reticulum
Ca^{2+}-transport ATPases of vascular smooth muscle, 266
Endothelial cells
Atriopeptin III induces early relaxation of isolated mammalian papillary muscle, 1171
Effects of damaging the endocardial surface on the mechanical performance of isolated cardiac muscle, 358
Endothelial monolayer
Substance P-induced pulmonary vasoreactivity in isolated perfused guinea pig lung, 196
Endothelium
Muscarinic-activated K^+ current in bovine aortic endothelial cells, 1059
Potassium-induced release of endothelium-derived relaxing factor from canine femoral arteries, 1098
Endothelium-dependent relaxation
Endothelial-dependent relaxation induced by leukotrienes C_4, D_4, and E_4 in isolated canine arteries, 983
Endothelium-derived relaxing factor
In vivo effect of methylene blue on endothelium-dependent and endothelium-independent dilations of brain microvessels in mice, 86
Potassium-induced release of endothelium-derived relaxing factor from canine femoral arteries, 1098
Selective attenuation of endothelium-mediated vasodilation in atherosclerotic human coronary arteries, 185
Endotoxin
Neuropeptide Y prevents the blood pressure fall induced by endotoxin in conscious rats with adrenal medullectomy, 25
End-systolic pressure-volume relation
Sensitivity of left ventricular end-systolic pressure-volume relation to type of loading intervention in dogs, 1247
Epicardial arteries
Differential H_1- and H_2-receptor–mediated histamine responses of canine epicardial conductance and distal resistance coronary vessels, 226
Epicardium
Transient outward current prominent in canine ventricular epicardium but not endocardium, 116
Epinephrine
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247
Neuropeptide Y prevents the blood pressure fall induced by endotoxin in conscious rats with adrenal medullectomy, 25
Equilibrium volume
Passive properties of canine left ventricle: Diastolic stiffness and restoring forces, 1210
Ethylisopropylamiloride
Sodium-lithium exchange in sarcolemmal vesicles from canine superior mesenteric artery, 478
Excitation-contraction coupling model
Maximal twitch tension in intact length-clamped ferret papillary muscles evoked by modified postextrasystolic potentiation, 65
Excitatory junction potential
Elevations in arterial pressure induce the formation of spontaneous action potentials and alter neurotransmission in canine ileum arteries, 1104
Exercise
Attenuation of the reflex pressor response to muscular contraction by an antagonist to somatostatin, 18

F

Facilitation
Selective functional characteristics of rate-induced fatigue in rabbit atrioventricular node, 790
Fatigue
Selective functional characteristics of rate-induced fatigue in rabbit atrioventricular node, 790
Fatty acid oxidation
Changes in substrate metabolism and effects of excess fatty acids in reperfused myocardium, 535
Fiber uncoupling
Influence of the passive anisotropic properties on directional differences in propagation following modification of the sodium conductance in human atrial muscle, 811
Fibrin monomer
Pulmonary vasoconstrictor response to soluble fibrin in isolated lungs: Possible role of thromboxane generation, 651
Fibrinolysis
Impaired fibrinolysis-inducing capacity for postinjury phenotype of cultivated human arterial and human atherosclerotic intimal smooth muscle cells, 1011
Finite strain measurements
Technique for measuring regional two-dimensional finite strains in canine left ventricle, 711
Focal glomerulosclerosis
Pharmacologic treatment of hyperlipidemia reduces glomerular injury in rat 5/6 nephrectomy model of chronic renal failure, 367
Force-length curves
Maximal twitch tension in intact length-clamped ferret papillary muscles evoked by modified postextrasystolic potentiation, 65
Frank-Starling mechanism
Role of the left atrium in adaptation of the heart to chronic mitral regurgitation in conscious dogs, 543
Technique for measuring regional two-dimensional finite strains in canine left ventricle, 711
Free radicals
Further evidence implicating a cytochrome P-450–mediated reaction in the contractile tension of the lamb ductus arteriosus, 471
Thromboxane synthetase inhibitors reduce infarct size by a platelet-dependent, aspirin-sensitive mechanism, 668
Frequency domain analysis
Adrenaline increases the rate of cycling of crossbridges in rat cardiac muscle as measured by pseudo–random binary noise–modulated perturbation analysis, 452

G

Gene expression in SHR
Augmented expression of atrial natriuretic polypeptide gene in ventricles of spontaneously hypertensive rats (SHR) and SHR-stroke prone, 926
Expression of ventricular-type myosin light chain messenger RNA in spontaneously hypertensive rat atria, 1093
Glucose-insulin-potassium
Rates of glycolysis and glycogenolysis during ischemia in glucose-insulin-potassium-treated perfused hearts: A ^{13}C, ^{31}P nuclear magnetic resonance study, 1065
Glyceryl trinitrate
Selective attenuation of endothelium-mediated vasodilation in atherosclerotic human coronary arteries, 185
Goldblatt hypertension
Morphometric evidence for non–pressure-related arterial wall thickening in hypertension, 1001
Group III and IV muscle afferents
Attenuation of the reflex pressor response to muscular contraction by an antagonist to somatostatin, 18
GTP regulatory proteins
Role of a pertussis toxin–sensitive protein in the modulation of canine Purkinje fiber automaticity, 315

Guanine nucleotide
Guanine nucleotide-dependent inositol trisphosphate formation in chick heart cells, 299
Identification and characterization of guinea pig angiotensin II ventricular and atrial receptors: Coupling to inositol phosphate production, 896
Guanylate cyclase
In vivo effect of methylene blue on endothelium-dependent and endothelium-independent dilations of brain microvessels in mice, 86
Guinea pig lungs
Monohydroxyeicosatetraenoic acids (5-HETE and 15-HETE) induce pulmonary vasoconstriction and edema, 687
Substance P-induced pulmonary vasoreactivity in isolated perfused guinea pig lung, 196

H

Hamster
Calcium transport properties of cardiac sarcoplasmic reticulum from cardiomyopathic Syrian hamsters (BIO 53.58 and 14.6): Evidence for a quantitative defect in dilated myopathic hearts not evident in hypertrophic hearts, 81
Effect of platelet-activating factor on microvascular permselectivity: Dose-response relations and pathways of action in the hamster cheek pouch microcirculation, 732
Vasoconstrictor effects of platelet-activating factor in the hamster cheek pouch microcirculation: Dose-related relations and pathways of action, 722
Ventricular atrial natriuretic factor in the cardiomyopathic hamster model of congestive heart failure, 31
Heart
Guanine nucleotide-dependent inositol trisphosphate formation in chick heart cells, 299
Heart failure
Calcium transport properties of cardiac sarcoplasmic reticulum from cardiomyopathic Syrian hamsters (BIO 53.58 and 14.6): Evidence for a quantitative defect in dilated myopathic hearts not evident in hypertrophic hearts, 81
Ventricular atrial natriuretic factor in the cardiomyopathic hamster model of congestive heart failure, 31
Heart rate
Protective effects of long-term bradycardial pacing against catecholamine-induced myocardial damage in rabbit hearts, 965
Systolic and diastolic dysfunction during atrial pacing in conscious dogs with left ventricular hypertrophy, 462
Hematocrit
Monohydroxyeicosatetraenoic acids (5-HETE and 15-HETE) induce pulmonary vasoconstriction and edema, 687
Hemodynamics
Angiographic validation of eigenvolume to measure left ventricular size, 1237
Mechanism of action and systemic and regional hemodynamics of the potassium channel activator BRL34915 and its enantiomers, 679
Monohydroxyeicosatetraenoic acids (5-HETE and 15-HETE) induce pulmonary vasoconstriction and edema, 687
High-energy phosphates
Enhanced sensitivity to hypoxia-induced diastolic dysfunction in pressure-overload left ventricular hypertrophy in the rat: Role of high-energy phosphate depletion, 766
Histamine
Differential H_1- and H_2-receptor–mediated histamine responses of canine epicardial conductance and distal resistance coronary vessels, 226
Effect of adenosine on histamine release and atrioventricular conduction during guinea pig cardiac anaphylaxis, 1147
Neurogenic histaminergic vasodilation in canine skeletal muscle: Mediation by α_2-adrenoceptor stimulation, 871
Substance P-induced pulmonary vasoreactivity in isolated perfused guinea pig lung, 196
Hormones
Hemodynamic and neural mechanisms of action of thyrotropin-releasing hormone in the rat, 139
Identification and characterization of guinea pig angiotensin II ventricular and atrial receptors: Coupling to inositol phosphate production, 896
Humans
Blood serum atherogenicity associated with coronary atherosclerosis. Evidence for nonlipid factor providing atherogenicity of low-density lipoproteins and an approach to its elimination, 421
Selective attenuation of endothelium-mediated vasodilation in atherosclerotic human coronary arteries, 185
Skinned fibers of human atrium and ventricle: Myosin isoenzymes and contractility, 632
Hydrogen ion
Mechanism of CO_2 response in cerebral arteries of the newborn pig: Role of phospholipase, cyclooxygenase, and lipoxygenase pathways, 1019
Hyperlipidemia
Pharmacologic treatment of hyperlipidemia reduces glomerular injury in rat 5/6 nephrectomy model of chronic renal failure, 367
Hypertension
Acute pulmonary vasoconstriction and thromboxane release during protamine reversal of heparin anticoagulation in awake sheep. Evidence for the role of reactive oxygen metabolites following nonimmunological complement activation, 905
Immunoreactive atrial natriuretic peptide in ventricles, atria, hypothalamus, and plasma of genetically hypertensive rats, 384
Mechanics of cerebral arterioles in hypertensive rats, 56
Hypertrophy
Angiotensin II induces hypertrophy, not hyperplasia, of cultured rat aortic smooth muscle cells, 749
Collagen remodeling of the pressure-overloaded, hypertrophied nonhuman primate myocardium, 757
Enhanced sensitivity to hypoxia-induced diastolic dysfunction in pressure-overload left ventricular hypertrophy in the rat: Role of high-energy phosphate depletion, 766
Hypoxia
Enhanced sensitivity to hypoxia-induced diastolic dysfunction in pressure-overload left ventricular hypertrophy in the rat: Role of high-energy phosphate depletion, 766
Prostacyclin biosynthesis and phospholipase activity in hypoxic rat myocardium, 1175

I

Idazoxan
Intracoronary α_2-adrenergic receptor blockade attenuates ischemia in conscious dogs during exercise, 436
Iloprost
Beneficial effects of iloprost in the stunned canine myocardium, 204
Immediate hypersensitivity
Effect of adenosine on histamine release and atrioventricular conduction during guinea pig cardiac anaphylaxis, 1147
Indomethacin
Effects of atrial natriuretic peptide in the canine coronary circulation, 178
Inflammation
Effect of platelet-activating factor on microvascular permselectivity: Dose-response relations and pathways of action in the hamster cheek pouch microcirculation, 732
Mechanism of complement activation after coronary artery occlusion: Evidence that myocardial ischemia in dogs causes release of constituents of myocardial subcellular origin that complex with human C1q in vivo, 572
Vasoconstrictor effects of platelet-activating factor in the hamster cheek pouch microcirculation: Dose-related relations and pathways of action, 722
Inositol trisphosphate
α_1-Adrenoceptor–mediated phosphoinositide breakdown and inotropic response in rat left ventricular papillary muscles, 8
Guanine nucleotide-dependent inositol trisphosphate formation in chick heart cells, 299
Inotropic state
α_1-Adrenoceptor–mediated phosphoinositide breakdown and inotropic response in rat left ventricular papillary muscles, 8

Angiographic validation of eigenvolume to measure left ventricular size, 1237
Torsional deformation of the left ventricular midwall in human hearts with intramyocardial markers: Regional heterogeneity and sensitivity to the inotropic effects of abrupt rate changes, 941
Intracellular calcium
Effects of metabolic blockade on intracellular calcium concentration in isolated ferret ventricular muscle, 1223
Intracellular cholesterol
Blood serum atherogenicity associated with coronary atherosclerosis. Evidence for nonlipid factor providing atherogenicity of low-density lipoproteins and an approach to its elimination, 421
Intracellular pH
Stimulation of muscarinic receptors raises free intracellular Ca^{2+} concentration in rat ventricular myocytes, 1080
Intracellular recording
Electrical responses of guinea pig coronary artery to transmural stimulation, 585
Intrathoracic pressure
Effects of left ventricular loading by negative intrathoracic pressure in dogs, 620
Ionic currents
Effects of quinidine on action potentials and ionic currents in isolated canine ventricular myocytes, 324
Ischemia
Beneficial effects of iloprost in the stunned canine myocardium, 204
Effects of alloxan-induced diabetes on ischemia-reperfusion injury in rabbit hearts, 975
Effects of calcium channel blocker on response of blood flow, function, arrhythmias, and extent of infarction following reperfusion in conscious baboons, 105
Effects of intracoronary verapamil administration in a sheep model of acute myocardial ischemia and reperfusion, 1138
Hearts from diabetic rats are more resistant to in vitro ischemia: Possible role of altered Ca^{2+} metabolism, 931
Hypoperfusion-induced acute renal failure in the rat: An evaluation of oxidant tissue injury, 430
Improved distribution of regional oxygenation in denervated ischemic dog myocardium, 1041
Mechanism of complement activation after coronary artery occlusion: Evidence that myocardial ischemia in dogs causes release of constituents of myocardial subcellular origin that complex with human C1q in vivo, 572
Rates of glycolysis and glycogenolysis during ischemia in glucose-insulin-potassium-treated perfused hearts: A ^{13}C, ^{31}P nuclear magnetic resonance study, 1065
Ryanodine and caffeine prevent ventricular arrhythmias during acute myocardial ischemia and reperfusion in rat heart, 306
Isolated cardiac myocytes
Stimulation of muscarinic receptors raises free intracellular Ca^{2+} concentration in rat ventricular myocytes, 1080
Isolated ventricular myocytes
Effects of quinidine on action potentials and ionic currents in isolated canine ventricular myocytes, 324
Isoprenaline
Atrial natriuretic factor regulates the calcium current in frog isolated cardiac cells, 660
Selective attenuation of endothelium-mediated vasodilation in atherosclerotic human coronary arteries, 185
Isoproterenol
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247

L

Left atrium
Role of the left atrium in adaptation of the heart to chronic mitral regurgitation in conscious dogs, 543
Left ventricle
A computer study of the relation between chamber mechanical properties and mean pressure–mean flow of the left ventricle, 1121
Left ventricular hypertrophy
Systolic and diastolic dysfunction during atrial pacing in conscious dogs with left ventricular hypertrophy, 462
Left ventricular loading
Effects of left ventricular loading by negative intrathoracic pressure in dogs, 620
Left ventricular pressure-volume relations
Effects of left ventricular loading by negative intrathoracic pressure in dogs, 620
Left ventricular relaxation
Effects of alloxan-induced diabetes on ischemia-reperfusion injury in rabbit hearts, 975
Left ventricular volume
Angiographic validation of eigenvolume to measure left ventricular size, 1237
Length-tension relation
Effects of damaging the endocardial surface on the mechanical performance of isolated cardiac muscle, 358
Leukotaxis
Mechanism of complement activation after coronary artery occlusion: Evidence that myocardial ischemia in dogs causes release of constituents of myocardial subcellular origin that complex with human C1q in vivo, 572
Leukotrienes
Effect of platelet-activating factor on microvascular permselectivity: Dose-response relations and pathways of action in the hamster cheek pouch microcirculation, 732
Endothelial-dependent relaxation induced by leukotrienes C_4, D_4, and E_4 in isolated canine arteries, 983
Vasoconstrictor effects of platelet-activating factor in the hamster cheek pouch microcirculation: Dose-related relations and pathways of action, 722
Lipoxygenase
Mechanism of CO_2 response in cerebral arteries of the newborn pig: Role of phospholipase, cyclooxygenase, and lipoxygenase pathways, 1019
Lipoxygenase metabolites
Monohydroxyeicosatetraenoic acids (5-HETE and 15-HETE) induce pulmonary vasoconstriction and edema, 687
Low cardiac output
Plasma atrial natriuretic factor during chronic thoracic inferior vena caval constriction, 279
Low-density lipoproteins
Blood serum atherogenicity associated with coronary atherosclerosis. Evidence for nonlipid factor providing atherogenicity of low-density lipoproteins and an approach to its elimination, 421
Quantification in vivo of increased LDL content and rate of LDL degradation in normal rabbit aorta occurring at sites susceptible to early atherosclerotic lesions, 699

M

Magnetic resonance spectroscopy
Calcium oscillations in digitalis-induced ventricular fibrillation: Pathogenetic role and metabolic consequences in isolated ferret hearts, 609
Rates of glycolysis and glycogenolysis during ischemia in glucose-insulin-potassium-treated perfused hearts: A ^{13}C, ^{31}P nuclear magnetic resonance study, 1065
Mathematical models
Angiographic validation of eigenvolume to measure left ventricular size, 1237
Maximal twitch tension
Maximal twitch tension in intact length-clamped ferret papillary muscles evoked by modified postextrasystolic potentiation, 65
Mean flow relations
A computer study of the relation between chamber mechanical properties and mean pressure–mean flow of the left ventricle, 1121
Mean pressure
A computer study of the relation between chamber mechanical properties and mean pressure–mean flow of the left ventricle, 1121
Mechanical efficiency
Changes in substrate metabolism and effects of excess fatty acids in reperfused myocardium, 535
Membrane potential
Elevations in arterial pressure induce the formation of spontaneous action potentials and alter neurotransmission in canine ileum arteries, 1104

Mesangial cells
Eicosanoids and control of mesangial cell contraction, 916
Messenger RNA
Localization of angiotensinogen messenger RNA in rat aorta, 1259
Ventricular atrial natriuretic factor in the cardiomyopathic hamster model of congestive heart failure, 31
Metabolic blockade
Effects of metabolic blockade on intracellular calcium concentration in isolated ferret ventricular muscle, 1223
Metabolism
Hearts from diabetic rats are more resistant to in vitro ischemia: Possible role of altered Ca^{2+} metabolism, 931
Methionine
Methionine-induced positive inotropic effect in rat heart: Possible role of phospholipid *N*-methylation, 51
Methoxamine
Renal effects of atrial natriuretic factor during control of the renin-angiotensin system in anesthetized dogs, 506
α,β-Methylene ATP
Electrical responses of guinea pig coronary artery to transmural stimulation, 585
Methylene blue
In vivo effect of methylene blue on endothelium-dependent and endothelium-independent dilations of brain microvessels in mice, 86
Methylxanthines
Effects of atrial natriuretic peptide in the canine coronary circulation, 178
Mevinolin
Pharmacologic treatment of hyperlipidemia reduces glomerular injury in rat 5/6 nephrectomy model of chronic renal failure, 367
Microcirculation
Effect of platelet-activating factor on microvascular permselectivity: Dose-response relations and pathways of action in the hamster cheek pouch microcirculation, 732
Vasoconstrictor effects of platelet-activating factor in the hamster cheek pouch microcirculation: Dose-related relations and pathways of action, 722
Microspheres
Adrenergic coronary vasoconstriction helps maintain uniform transmural blood flow distribution during exercise, 286
Mechanism of action and systemic and regional hemodynamics of the potassium channel activator BRL34915 and its enantiomers, 679
Transmural variation in autoregulation of right ventricular blood flow, 776
Microtubule
Monensin turns on microtubule-associated translocation of secretory granules in cultured rat atrial myocytes, 1159
Microvascular permselectivity
Effect of platelet-activating factor on microvascular permselectivity: Dose-response relations and pathways of action in the hamster cheek pouch microcirculation, 732
Mitral valve
In vitro repair of the wounded porcine mitral valve, 833
Modified postextrasystolic potentiation
Maximal twitch tension in intact length-clamped ferret papillary muscles evoked by modified postextrasystolic potentiation, 65
Monensin
Monensin turns on microtubule-associated translocation of secretory granules in cultured rat atrial myocytes, 1159
Monkeys
Vasa vasorum in atherosclerotic coronary arteries: Responses to vasoactive stimuli and regression of atherosclerosis, 515
Monoclonal antibody
Differences in response of myosin isozyme transition of ordinary and specialized myocardium to overload, 1088
Monohydroxyeicosatetraenoic acids
Monohydroxyeicosatetraenoic acids (5-HETE and 15-HETE) induce pulmonary vasoconstriction and edema, 687
Muscarinic receptors
Guanine nucleotide-dependent inositol trisphosphate formation in chick heart cells, 299
Muscarinic-activated K^+ current in bovine aortic endothelial cells, 1059
Stimulation of muscarinic receptors raises free intracellular Ca^{2+} concentration in rat ventricular myocytes, 1080
Myocardial blood flow
Effects of calcium channel blocker on response of blood flow, function, arrhythmias, and extent of infarction following reperfusion in conscious baboons, 105
Intracoronary α_2-adrenergic receptor blockade attenuates ischemia in conscious dogs during exercise, 436
Transmural variation in autoregulation of right ventricular blood flow, 776
Myocardial Ca^{2+} uptake
Hearts from diabetic rats are more resistant to in vitro ischemia: Possible role of altered Ca^{2+} metabolism, 931
Myocardial contractility
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247
Myocardial contraction
Intracoronary α_2-adrenergic receptor blockade attenuates ischemia in conscious dogs during exercise, 436
Myocardial edema
Microvascular changes in the heart during chronic arterial hypertension, 953
Myocardial hypertrophy and gene expression
Expression of ventricular-type myosin light chain messenger RNA in spontaneously hypertensive rat atria, 1093
Myocardial infarction
Effects of alloxan-induced diabetes on ischemia-reperfusion injury in rabbit hearts, 975
Effects of calcium channel blocker on response of blood flow, function, arrhythmias, and extent of infarction following reperfusion in conscious baboons, 105
Effects of intracoronary verapamil administration in a sheep model of acute myocardial ischemia and reperfusion, 1138
Mechanism of complement activation after coronary artery occlusion: Evidence that myocardial ischemia in dogs causes release of constituents of myocardial subcellular origin that complex with human C1q in vivo, 572
Time course of denervation of efferent sympathetic and vagal nerves after occlusion of the coronary artery in the canine heart, 1111
Myocardial inotropism
Sensitivity of left ventricular end-systolic pressure-volume relation to type of loading intervention in dogs, 1247
Myocardial lymph flow
Microvascular changes in the heart during chronic arterial hypertension, 953
Myocardial microvascular permeability
Microvascular changes in the heart during chronic arterial hypertension, 953
Myocardial oxygen consumption
Adrenergic coronary vasoconstriction helps maintain uniform transmural blood flow distribution during exercise, 286
Improved distribution of regional oxygenation in denervated ischemic dog myocardium, 1041
Myocardial salvage
Thromboxane synthetase inhibitors reduce infarct size by a platelet-dependent, aspirin-sensitive mechanism, 668
Myocardial stunning
Changes in substrate metabolism and effects of excess fatty acids in reperfused myocardium, 535
Myocardium
Atriopeptin III induces early relaxation of isolated mammalian papillary muscle, 1171
Effects of damaging the endocardial surface on the mechanical performance of isolated cardiac muscle, 358
Identification and characterization of guinea pig angiotensin II ventricular and atrial receptors: Coupling to inositol phosphate production, 896
Myofibrillar responsiveness to Ca^{2+}
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247
Myogenic mechanism
Reactivity of isolated porcine coronary resistance arteries to cholinergic and adrenergic drugs and transmural pressure changes, 741

Myosin
Differences in response of myosin isozyme transition of ordinary and specialized myocardium to overload, 1088
Expression of ventricular-type myosin light chain messenger RNA in spontaneously hypertensive rat atria, 1093
Nodal myosin distribution in the bovine heart during prenatal development: An immunohistochemical study, 1182
Skinned fibers of human atrium and ventricle: Myosin isoenzymes and contractility, 632

N

Na^+-Ca^{2+} exchange
Na^+-Ca^{2+} exchange in cultured vascular smooth muscle cells, 486
Stimulation of muscarinic receptors raises free intracellular Ca^{2+} concentration in rat ventricular myocytes, 1080
Natriuresis
Plasma atrial natriuretic factor during chronic thoracic inferior vena caval constriction, 279
Renal effects of atrial natriuretic factor during control of the renin-angiotensin system in anesthetized dogs, 506
Neonatal rat heart
Phorbol ester increases calcium current and simulates the effects of angiotensin II on cultured neonatal rat heart myocytes, 347
Neural control of the circulation
Attenuation of the reflex pressor response to muscular contraction by an antagonist to somatostatin, 18
Neurogenic vasodilation
Neurogenic histaminergic vasodilation in canine skeletal muscle: Mediation by α_2-adrenoceptor stimulation, 871
Neurohumoral control
Transmural differences in sympathetic coronary constriction during exercise in the presence of coronary stenosis, 216
Neuromuscular transmission
Electrical responses of guinea pig coronary artery to transmural stimulation, 585
Neuropeptide Y
Neuropeptide Y prevents the blood pressure fall induced by endotoxin in conscious rats with adrenal medullectomy, 25
Neurotransmission
Elevations in arterial pressure induce the formation of spontaneous action potentials and alter neurotransmission in canine ileum arteries, 1104
Neurotransmitters
Attenuation of the reflex pressor response to muscular contraction by an antagonist to somatostatin, 18
Neutrophils
Beneficial effects of iloprost in the stunned canine myocardium, 204
Thromboxane synthetase inhibitors reduce infarct size by a platelet-dependent, aspirin-sensitive mechanism, 668
Newborn
Mechanism of CO_2 response in cerebral arteries of the newborn pig: Role of phospholipase, cyclooxygenase, and lipoxygenase pathways, 1019
Platelet activating factor: A potent constrictor of cerebral arterioles in newborn pigs, 1
Nicotine
Parasympathetic coronary vasoconstriction induced by nicotine in conscious calves, 891
Nitroglycerin
Effect of nitroglycerin on aortic impedance, diameter, and pulse-wave velocity, 884
Nitroprusside
In vivo effect of methylene blue on endothelium-dependent and endothelium-independent dilations of brain microvessels in mice, 86
Nonuniform activation
Nonuniform epicardial activation and repolarization properties of in vivo canine pulmonary conus, 233
Nonuniform recovery of excitability
Mechanism of ventricular vulnerability to single premature stimuli in open-chest dogs, 1191
Norepinephrine
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247
Adrenergic modulation of the transient outward current in isolated canine Purkinje cells, 162
In situ analysis of α-adrenoceptors on arteriolar and venular smooth muscle in rat skeletal muscle microcirculation, 37
Neuropeptide Y prevents the blood pressure fall induced by endotoxin in conscious rats with adrenal medullectomy, 25
Protective effects of long-term bradycardial pacing against catecholamine-induced myocardial damage in rabbit hearts, 965
Nucleotide
Identification and characterization of guinea pig angiotensin II ventricular and atrial receptors: Coupling to inositol phosphate production, 896

O

Organellar calcium
Evidence for increased aortic plasma membrane calcium transport caused by experimental atherosclerosis in rabbits, 75
Overload
Differences in response of myosin isozyme transition of ordinary and specialized myocardium to overload, 1088
Oxygen paradox
Facilitating effect of cold shock on recovery from anoxia-induced contractile depression in isolated rat heart and heart muscle, 338
Oxygen radicals
Acute pulmonary vasoconstriction and thromboxane release during protamine reversal of heparin anticoagulation in awake sheep. Evidence for the role of reactive oxygen metabolites following nonimmunological complement activation, 905

P

Pacing
Systolic and diastolic dysfunction during atrial pacing in conscious dogs with left ventricular hypertrophy, 462
Papaverine
Substance P-induced pulmonary vasoreactivity in isolated perfused guinea pig lung, 196
Peptides
Attenuation of the reflex pressor response to muscular contraction by an antagonist to somatostatin, 18
Periaortic fat
Localization of angiotensinogen messenger RNA in rat aorta, 1259
Pertussis toxin
Pertussis toxin–treated dog: A whole animal model of impaired inhibitory regulation of adenylate cyclase, 992
Phenylephrine
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247
In situ analysis of α-adrenoceptors on arteriolar and venular smooth muscle in rat skeletal muscle microcirculation, 37
Phloretin
Sodium-lithium exchange in sarcolemmal vesicles from canine superior mesenteric artery, 478
Phorbol ester
α_1-Adrenoceptor–mediated phosphoinositide breakdown and inotropic response in rat left ventricular papillary muscles, 8
Phorbol ester increases calcium current and simulates the effects of angiotensin II on cultured neonatal rat heart myocytes, 347
Phorbol ester increases the dihydropyridine-sensitive calcium conductance in a vascular smooth muscle cell line, 1049
Phosphoinositide
α_1-Adrenoceptor–mediated phosphoinositide breakdown and inotropic response in rat left ventricular papillary muscles, 8
Angiotensin II increases spontaneous contractile frequency and stimulates calcium current in cultured neonatal rat heart myocytes: Insights into the underlying biochemical mechanisms, 524

Phorbol ester increases calcium current and simulates the effects of angiotensin II on cultured neonatal rat heart myocytes, 347

Phospholipase
Guanine nucleotide-dependent inositol trisphosphate formation in chick heart cells, 299
Mechanism of CO_2 response in cerebral arteries of the newborn pig: Role of phospholipase, cyclooxygenase, and lipoxygenase pathways, 1019
Prostacyclin biosynthesis and phospholipase activity in hypoxic rat myocardium, 1175

Phospholipid *N*-methylation
Methionine-induced positive inotropic effect in rat heart: Possible role of phospholipid *N*-methylation, 51

Photoactivation
Further evidence implicating a cytochrome P-450–mediated reaction in the contractile tension of the lamb ductus arteriosus, 471

Pial arterioles
Platelet activating factor: A potent constrictor of cerebral arterioles in newborn pigs, 1

Plasma membrane
Ca^{2+}-transport ATPases of vascular smooth muscle, 266

Plasminogen activator
Impaired fibrinolysis-inducing capacity for postinjury phenotype of cultivated human arterial and human atherosclerotic intimal smooth muscle cells, 1011

Platelet
Dihydropyridine agonist Bay K 8644 inhibits platelet activation by competitive antagonism of thromboxane A_2–prostaglandin H_2 receptor, 494

Platelet-activating factor
Effect of platelet-activating factor on microvascular permselectivity: Dose-response relations and pathways of action in the hamster cheek pouch microcirculation, 732
Vasoconstrictor effects of platelet-activating factor in the hamster cheek pouch microcirculation: Dose-related relations and pathways of action, 722

Platelet dependent thromboxane synthetase inhibitors
Thromboxane synthetase inhibitors reduce infarct size by a platelet-dependent, aspirin-sensitive mechanism, 668

Polyphosphoinositides
Identification and characterization of guinea pig angiotensin II ventricular and atrial receptors: Coupling to inositol phosphate production, 896

Positive inotropic action
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247
Methionine-induced positive inotropic effect in rat heart: Possible role of phospholipid *N*-methylation, 51

Potassium
Potassium-induced release of endothelium-derived relaxing factor from canine femoral arteries, 1098

Potassium channels
Mechanism of action and systemic and regional hemodynamics of the potassium channel activator BRL34915 and its enantiomers, 679
Muscarinic-activated K^+ current in bovine aortic endothelial cells, 1059

Potassium current
Effects of quinidine on action potentials and ionic currents in isolated canine ventricular myocytes, 324

Prazosin
In situ analysis of α-adrenoceptors on arteriolar and venular smooth muscle in rat skeletal muscle microcirculation, 37

Premature stimulation
Mechanism of ventricular vulnerability to single premature stimuli in open-chest dogs, 1191

Pressure-flow relation
Systole has little effect on diastolic coronary artery blood flow, 443
Transmural variation in autoregulation of right ventricular blood flow, 776

Prostacyclin
Prostacyclin biosynthesis and phospholipase activity in hypoxic rat myocardium, 1175

Prostaglandins
Eicosanoids and control of mesangial cell contraction, 916
Potassium-induced release of endothelium-derived relaxing factor from canine femoral arteries, 1098
Pulmonary vasoconstrictor response to soluble fibrin in isolated lungs: Possible role of thromboxane generation, 651
Thromboxane synthetase inhibitors reduce infarct size by a platelet-dependent, aspirin-sensitive mechanism, 668

Prostanoids
Mechanism of CO_2 response in cerebral arteries of the newborn pig: Role of phospholipase, cyclooxygenase, and lipoxygenase pathways, 1019
Platelet activating factor: A potent constrictor of cerebral arterioles in newborn pigs, 1

Protamine
Acute pulmonary vasoconstriction and thromboxane release during protamine reversal of heparin anticoagulation in awake sheep. Evidence for the role of reactive oxygen metabolites following nonimmunological complement activation, 905

Protein content
Angiotensin II induces hypertrophy, not hyperplasia, of cultured rat aortic smooth muscle cells, 749

Protein kinase C
Angiotensin II increases spontaneous contractile frequency and stimulates calcium current in cultured neonatal rat heart myocytes: Insights into the underlying biochemical mechanisms, 524
Phorbol ester increases calcium current and simulates the effects of angiotensin II on cultured neonatal rat heart myocytes, 347
Phorbol ester increases the dihydropyridine-sensitive calcium conductance in a vascular smooth muscle cell line, 1049

Pseudo–random binary noise
Adrenaline increases the rate of cycling of crossbridges in rat cardiac muscle as measured by pseudo–random binary noise–modulated perturbation analysis, 452

Pulmonary artery pressor response
Pulmonary vasoconstrictor response to soluble fibrin in isolated lungs: Possible role of thromboxane generation, 651

Purkinje fibers
A model for early afterdepolarizations: Induction with the Ca^{2+} channel agonist Bay K 8644, 563

P-V relations restoring forces
Passive properties of canine left ventricle: Diastolic stiffness and restoring forces, 1210

Q

Quinidine
Effects of quinidine on action potentials and ionic currents in isolated canine ventricular myocytes, 324
Quinidine delays I_K activation in guinea pig ventricular myocytes, 1055
Sodium-lithium exchange in sarcolemmal vesicles from canine superior mesenteric artery, 478

R

Rabbit
Actions of sympathomimetic amines on the Ca^{2+} transients and contractions of rabbit myocardium: Reciprocal changes in myofibrillar responsiveness to Ca^{2+} mediated through α- and β-adrenoceptors, 247
Quantification in vivo of increased LDL content and rate of LDL degradation in normal rabbit aorta occurring at sites susceptible to early atherosclerotic lesions, 699

Rapid cooling
Facilitating effect of cold shock on recovery from anoxia-induced contractile depression in isolated rat heart and heart muscle, 338

Rat heart
Localization of angiotensinogen messenger RNA in rat aorta, 1259
Methionine-induced positive inotropic effect in rat heart: Possible role of phospholipid *N*-methylation, 51

$^{86}Rb^+$ flux
Mechanism of action and systemic and regional hemodynamics of the potassium channel activator BRL34915 and its enantiomers, 679
Reactive hyperemia
Role of adenosine in coronary vasodilation during exercise, 846
Reactive oxygen species
Hypoperfusion-induced acute renal failure in the rat: An evaluation of oxidant tissue injury, 430
Receptor autoradiography
Decreased atrial natriuretic peptide binding in renal medulla in rats with chronic heart failure, 155
α-Receptors
Adrenergic coronary vasoconstriction helps maintain uniform transmural blood flow distribution during exercise, 286
β-Receptors
Adrenergic coronary vasoconstriction helps maintain uniform transmural blood flow distribution during exercise, 286
Receptors, adrenergic
Characterization of β_1- and β_2-adrenoceptor subtypes in the rat atrioventricular node by quantitative autoradiography, 173
Receptors, α-adrenergic
In situ analysis of α-adrenoceptors on arteriolar and venular smooth muscle in rat skeletal muscle microcirculation, 37
Reconstitution
Reconstitution and characterization of a calcium-activated channel from heart, 411
Recovery time
Selective functional characteristics of rate-induced fatigue in rabbit atrioventricular node, 790
Reentry
Length of excitation wave and susceptibility to reentrant atrial arrhythmias in normal conscious dogs, 395
Refractory periods
Nonuniform epicardial activation and repolarization properties of in vivo canine pulmonary conus, 233
Regional function
Beneficial effects of iloprost in the stunned canine myocardium, 204
Effects of calcium channel blocker on response of blood flow, function, arrhythmias, and extent of infarction following reperfusion in conscious baboons, 105
Technique for measuring regional two-dimensional finite strains in canine left ventricle, 711
Relaxation
Atriopeptin III induces early relaxation of isolated mammalian papillary muscle, 1171
Remnant kidney
Pharmacologic treatment of hyperlipidemia reduces glomerular injury in rat 5/6 nephrectomy model of chronic renal failure, 367
Renal arterioles
Morphometric evidence for non–pressure-related arterial wall thickening in hypertension, 1001
Renal vascular resistance
Renal effects of atrial natriuretic factor during control of the renin-angiotensin system in anesthetized dogs, 506
Reperfusion
Beneficial effects of iloprost in the stunned canine myocardium, 204
Ryanodine and caffeine prevent ventricular arrhythmias during acute myocardial ischemia and reperfusion in rat heart, 306
Repolarization
Quinidine delays I_K activation in guinea pig ventricular myocytes, 1055
Ryanodine
Calcium oscillations in digitalis-induced ventricular fibrillation: Pathogenetic role and metabolic consequences in isolated ferret hearts, 609
Role of sarcoplasmic reticulum in arterial contraction: Comparison of ryanodine's effect in a conduit and a muscular artery, 854
Ryanodine and caffeine prevent ventricular arrhythmias during acute myocardial ischemia and reperfusion in rat heart, 306

S

Salt and water homeostasis
Decreased atrial natriuretic peptide binding in renal medulla in rats with chronic heart failure, 155
Sarcoplasmic reticulum
Calcium transport properties of cardiac sarcoplasmic reticulum from cardiomyopathic Syrian hamsters (BIO 53.58 and 14.6): Evidence for a quantitative defect in dilated myopathic hearts not evident in hypertrophic hearts, 81
Cyclic guanosine monophosphate–enhanced sequestration of Ca^{2+} by sarcoplasmic reticulum in vascular smooth muscle, 961
Role of sarcoplasmic reticulum in arterial contraction: Comparison of ryanodine's effect in a conduit and a muscular artery, 854
Stimulation of muscarinic receptors raises free intracellular Ca^{2+} concentration in rat ventricular myocytes, 1080
Scaling
Passive properties of canine left ventricle: Diastolic stiffness and restoring forces, 1210
Secretion
Monensin turns on microtubule-associated translocation of secretory granules in cultured rat atrial myocytes, 1159
Shape indexes
Abnormalities of dynamic ventricular shape change in patients with aortic and mitral valvular regurgitation: Assessment by Fourier shape analysis and global geometric indexes, 127
Shortening deactivation
Sensitivity of left ventricular end-systolic pressure-volume relation to type of loading intervention in dogs, 1247
Sinoatrial node
Nodal myosin distribution in the bovine heart during prenatal development: An immunohistochemical study, 1182
Skinned heart fibers
Skinned fibers of human atrium and ventricle: Myosin isoenzymes and contractility, 632
Slow inward current
Alternans of action potential duration after abrupt shortening of cycle length: Differences between dog Purkinje and ventricular muscle fibers, 1027
Sodium channel drug blockade
Influence of the passive anisotropic properties on directional differences in propagation following modification of the sodium conductance in human atrial muscle, 811
Sodium nitroprusside
Beneficial effects of iloprost in the stunned canine myocardium, 204
Sodium-proton exchange
Sodium-lithium exchange in sarcolemmal vesicles from canine superior mesenteric artery, 478
Soluble fibrin
Pulmonary vasoconstrictor response to soluble fibrin in isolated lungs: Possible role of thromboxane generation, 651
Specialized conduction system
Selective functional characteristics of rate-induced fatigue in rabbit atrioventricular node, 790
Specialized myocardium
Differences in response of myosin isozyme transition of ordinary and specialized myocardium to overload, 1088
Spectral analysis
Calcium oscillations in digitalis-induced ventricular fibrillation: Pathogenetic role and metabolic consequences in isolated ferret hearts, 609
Spontaneously hypertensive rats
Augmented expression of atrial natriuretic polypeptide gene in ventricles of spontaneously hypertensive rats (SHR) and SHR-stroke prone, 926
Immunoreactive atrial natriuretic peptide in ventricles, atria, hypothalamus, and plasma of genetically hypertensive rats, 384
Stress-strain relations
Collagen remodeling of the pressure-overloaded, hypertrophied nonhuman primate myocardium, 757
Structural component of vascular resistance
Morphometric evidence for non–pressure-related arterial wall thickening in hypertension, 1001
Subcellular distribution
Subcellular distribution of high-affinity type IV cyclic AMP phosphodiesterase activity in rabbit ventricular myocardium: Relations to the effects of cardiotonic drugs, 782
Subendocardial collagen network
Hormonal and cardiac effects of converting enzyme inhibition in rat myocardial infarction, 641

Substance P
Selective attenuation of endothelium-mediated vasodilation in atherosclerotic human coronary arteries, 185
Substance P-induced pulmonary vasoreactivity in isolated perfused guinea pig lung, 196
Substrate preference
Changes in substrate metabolism and effects of excess fatty acids in reperfused myocardium, 535
Sympathectomy
Improved distribution of regional oxygenation in denervated ischemic dog myocardium, 1041
Sympathetic nerves
Transmural differences in sympathetic coronary constriction during exercise in the presence of coronary stenosis, 216
Systolic function
Systolic and diastolic dysfunction during atrial pacing in conscious dogs with left ventricular hypertrophy, 462

T

Tachycardia
Torsional deformation of the left ventricular midwall in human hearts with intramyocardial markers: Regional heterogeneity and sensitivity to the inotropic effects of abrupt rate changes, 941
Tension
Effects of metabolic blockade on intracellular calcium concentration in isolated ferret ventricular muscle, 1223
Tetanization
Maximal twitch tension in intact length-clamped ferret papillary muscles evoked by modified postextrasystolic potentiation, 65
Tetraploidy
Angiotensin II induces hypertrophy, not hyperplasia, of cultured rat aortic smooth muscle cells, 749
Theophylline
Effect of adenosine on histamine release and atrioventricular conduction during guinea pig cardiac anaphylaxis, 1147
Role of adenosine in coronary vasodilation during exercise, 846
Thoracic caval constriction
Plasma atrial natriuretic factor during chronic thoracic inferior vena caval constriction, 279
Thrombin
Pulmonary vasoconstrictor response to soluble fibrin in isolated lungs: Possible role of thromboxane generation, 651
Thrombosis
Impaired fibrinolysis-inducing capacity for postinjury phenotype of cultivated human arterial and human atherosclerotic intimal smooth muscle cells, 1011
Thromboxane
Acute pulmonary vasoconstriction and thromboxane release during protamine reversal of heparin anticoagulation in awake sheep. Evidence for the role of reactive oxygen metabolites following nonimmunological complement activation, 905
Effect of platelet-activating factor on microvascular permselectivity: Dose-response relations and pathways of action in the hamster cheek pouch microcirculation, 732
Eicosanoids and control of mesangial cell contraction, 916
Pulmonary vasoconstrictor response to soluble fibrin in isolated lungs: Possible role of thromboxane generation, 651
Vasoconstrictor effects of platelet-activating factor in the hamster cheek pouch microcirculation: Dose-related relations and pathways of action, 722
Thromboxane A_2–prostaglandin H_2 receptor
Dihydropyridine agonist Bay K 8644 inhibits platelet activation by competitive antagonism of thromboxane A_2–prostaglandin H_2 receptor, 494
Torsional deformation
Torsional deformation of the left ventricular midwall in human hearts with intramyocardial markers: Regional heterogeneity and sensitivity to the inotropic effects of abrupt rate changes, 941
Tracer kinetics
Evidence for increased aortic plasma membrane calcium transport caused by experimental atherosclerosis in rabbits, 75
Transient outward current
Adrenergic modulation of the transient outward current in isolated canine Purkinje cells, 162
Transient outward current prominent in canine ventricular epicardium but not endocardium, 116
Transmural myocardial blood flow
Transmural differences in sympathetic coronary constriction during exercise in the presence of coronary stenosis, 216
Transmural pressure
Elevations in arterial pressure induce the formation of spontaneous action potentials and alter neurotransmission in canine ileum arteries, 1104
Transmural stimulation
Electrical responses of guinea pig coronary artery to transmural stimulation, 585
Type IV cAMP phosphodiesterase
Subcellular distribution of high-affinity type IV cyclic AMP phosphodiesterase activity in rabbit ventricular myocardium: Relations to the effects of cardiotonic drugs, 782

U

UK-14304
Neurogenic histaminergic vasodilation in canine skeletal muscle: Mediation by α_2-adrenoceptor stimulation, 871

V

Valvular heart disease
Abnormalities of dynamic ventricular shape change in patients with aortic and mitral valvular regurgitation: Assessment by Fourier shape analysis and global geometric indexes, 127
Vascular growth
Morphometric evidence for non–pressure-related arterial wall thickening in hypertension, 1001
Vascular impedance
Effect of nitroglycerin on aortic impedance, diameter, and pulse-wave velocity, 884
Vascular mechanics
Mechanics of cerebral arterioles in hypertensive rats, 56
Vascular permeability
Substance P-induced pulmonary vasoreactivity in isolated perfused guinea pig lung, 196
Vascular reflections
Effect of nitroglycerin on aortic impedance, diameter, and pulse-wave velocity, 884
Vascular resistance
Effect of adenosine on histamine release and atrioventricular conduction during guinea pig cardiac anaphylaxis, 1147
Pulmonary vasoconstrictor response to soluble fibrin in isolated lungs: Possible role of thromboxane generation, 651
Systole has little effect on diastolic coronary artery blood flow, 443
Vascular responsiveness
Vasa vasorum in atherosclerotic coronary arteries: Responses to vasoactive stimuli and regression of atherosclerosis, 515
Vascular smooth muscle
Angiotensin II induces hypertrophy, not hyperplasia, of cultured rat aortic smooth muscle cells, 749
Ca^{2+}-transport ATPases of vascular smooth muscle, 266
Cyclic guanosine monophosphate–enhanced sequestration of Ca^{2+} by sarcoplasmic reticulum in vascular smooth muscle, 961
Evidence for increased aortic plasma membrane calcium transport caused by experimental atherosclerosis in rabbits, 75
Impaired fibrinolysis-inducing capacity for postinjury phenotype of cultivated human arterial and human atherosclerotic intimal smooth muscle cells, 1011
In situ analysis of α-adrenoceptors on arteriolar and venular smooth muscle in rat skeletal muscle microcirculation, 37
Na^+-Ca^{2+} exchange in cultured vascular smooth muscle cells, 486
Pharmacologic relevance of dihydropyridine binding sites in membranes from rat aorta: Kinetic and equilibrium studies, 91
Phorbol ester increases the dihydropyridine-sensitive calcium conductance in a vascular smooth muscle cell line, 1049
Regulation of calcium current by intracellular calcium in smooth muscle cells of rabbit portal vein, 375

Role of sarcoplasmic reticulum in arterial contraction: Comparison of ryanodine's effect in a conduit and a muscular artery, 854
Sodium-lithium exchange in sarcolemmal vesicles from canine superior mesenteric artery, 478

Vascular tissue
Muscarinic-activated K^+ current in bovine aortic endothelial cells, 1059

Vasoconstriction
Monohydroxyeicosatetraenoic acids (5-HETE and 15-HETE) induce pulmonary vasoconstriction and edema, 687
Parasympathetic coronary vasoconstriction induced by nicotine in conscious calves, 891
Substance P-induced pulmonary vasoreactivity in isolated perfused guinea pig lung, 196
Vasoconstrictor effects of platelet-activating factor in the hamster cheek pouch microcirculation: Dose-related relations and pathways of action, 722

Vasodilatation
Potassium-induced release of endothelium-derived relaxing factor from canine femoral arteries, 1098

Ventricle
Augmented expression of atrial natriuretic polypeptide gene in ventricles of spontaneously hypertensive rats (SHR) and SHR-stroke prone, 926
Identification and characterization of guinea pig angiotensin II ventricular and atrial receptors: Coupling to inositol phosphate production, 896

Ventricular fibrillation
Electrophysiological effects of acute ventricular dilatation in the isolated rabbit heart, 554
Mechanism of ventricular vulnerability to single premature stimuli in open-chest dogs, 1191

Ventricular function
Abnormalities of dynamic ventricular shape change in patients with aortic and mitral valvular regurgitation: Assessment by Fourier shape analysis and global geometric indexes, 127
Hearts from diabetic rats are more resistant to in vitro ischemia: Possible role of altered Ca^{2+} metabolism, 931

Ventricular mechanics
Torsional deformation of the left ventricular midwall in human hearts with intramyocardial markers: Regional heterogeneity and sensitivity to the inotropic effects of abrupt rate changes, 941

Ventricular muscle
Effects of metabolic blockade on intracellular calcium concentration in isolated ferret ventricular muscle, 1223

Ventricular myosin light chain
Expression of ventricular-type myosin light chain messenger RNA in spontaneously hypertensive rat atria, 1093

Ventricular shape
Abnormalities of dynamic ventricular shape change in patients with aortic and mitral valvular regurgitation: Assessment by Fourier shape analysis and global geometric indexes, 127

Ventricular volume
Angiographic validation of eigenvolume to measure left ventricular size, 1237

Ventricular vulnerability
Mechanism of ventricular vulnerability to single premature stimuli in open-chest dogs, 1191

Verapamil
Effects of intracoronary verapamil administration in a sheep model of acute myocardial ischemia and reperfusion, 1138

Voltage clamp
Atrial natriuretic factor regulates the calcium current in frog isolated cardiac cells, 660
Regulation of calcium current by intracellular calcium in smooth muscle cells of rabbit portal vein, 375

Volume loading
Immunoreactive atrial natriuretic peptide in ventricles, atria, hypothalamus, and plasma of genetically hypertensive rats, 384
Sensitivity of left ventricular end-systolic pressure-volume relation to type of loading intervention in dogs, 1247

W

Wall-to-lumen ratio
Morphometric evidence for non–pressure-related arterial wall thickening in hypertension, 1001

Wavelength
Length of excitation wave and susceptibility to reentrant atrial arrhythmias in normal conscious dogs, 395

Wound repair
In vitro repair of the wounded porcine mitral valve, 833

Y

Yohimbine
In situ analysis of α-adrenoceptors on arteriolar and venular smooth muscle in rat skeletal muscle microcirculation, 37